

**ALGEBRAIC GEOMETRY**  
**A CELEBRATION OF EMMA PREVIATO'S 65TH BIRTHDAY**

RON DONAGI AND TONY SHASKA

1. A WORD FROM THE EDITORS

These two volumes celebrate and honor Emma Previato, on the occasion of her 65th birthday. The present volume consists of 16 articles in algebraic geometry and its surrounding fields, emphasizing the connections to integrable systems which are so central to Emma's work. The companion volume focuses on Emma's interests within integrable systems. The articles were contributed by Emma's coauthors, colleagues, students, and other researchers who have been influenced by Emma's work over the years. They present a very attractive mix of expository articles, historical surveys and cutting edge research.

Emma Previato is a mathematical pioneer, working in her two chosen areas, algebraic geometry and integrable systems. She has been among the first women to do research, in both areas. And her work in both areas has been deep and influential. Emma received a Bachelor's degree from the University of Padua in Italy, and a PhD from Harvard University under the direction of David Mumford in 1983. Her thesis was on hyperelliptic curves and solitons. The work on hyperelliptic curves has evolved and expanded into Emma's life-long interest in algebraic geometry. The work on solitons has led to her ongoing research on integrable systems, which is the subject of the present volume. Emma Previato has been a faculty member at the Department of Mathematics at Boston University since 1983. She has published nearly a hundred research articles, edited six books, and directed seven Ph.D dissertations. Her broader impact extends through her renowned teaching and her extensive mentoring activities. She runs AFRAMATH, an annual outreach symposium, and works tirelessly on several on- and o-campus mentoring programs. She has also founded and has been leading the activities of the Boston University chapters of MAA and AWM. She serves on numerous advisory boards.

Algebraic geometry is an ancient subject that has been at the center of mathematical research for at least the past two centuries, attracting many of the greatest mathematical minds. Previato's work has made important contributions in many directions within algebraic geometry, and especially so in areas that connect with the theory of integrable systems. We review some of her accomplishments in section 2 below.

We tried to collect in this volume a broad range of articles covering most of these areas. We summarize these contributions in section 3.

We would like to quote David Mumford, Emma's Ph.D. advisor, who wrote in the context of this volume:

*"One of the greatest pleasures in a Professor's life is when one of your PhD students goes on to become a world leader in the area of their thesis. In fact, all my seven female PhD students have done extremely well. Emma was the last in*

*algebraic geometry and it makes me sad that when my own research shifted, I have not followed hers. But reading the list of her papers and their topics completely blows me away. The scope of her work is astonishing: it is the whole area where algebraic geometry meets differential equations and the special functions and spectral curves (and surfaces) that arise. Congratulations Emma on your 65th birthday, you have come such a long way since we shared gelato in Harvard Square and I am deeply happy to see what you have done.”*

The editors and many of the authors have enjoyed years of fruitful interactions with Emma Previato. We all join in wishing her many more years of health, productivity, and great mathematics.

Ron Donagi and Tony Shaska

## 2. EMMA PREVIATO’S CONTRIBUTIONS

Emma Previato works in different areas, using methods from algebra, algebraic geometry, mechanics, differential geometry, analysis, and differential equations. The bulk of her research belongs to integrable equations. She is noted for often finding unexpected connections between integrability and many other areas, often including various branches of algebraic geometry.

**2.1. Early Activity.** As an undergraduate at the University of Padua, Italy, Emma wrote a dissertation on group lattices, followed by six journal publications [1–6]. With methods from algebra, initiated by Dedekind in the 19th century, this areas goal is to relate the group structure to the lattice of subgroups, and provide classifications for certain properties: an excellent overview is the article by Freese [7], a review of the definitive treatise by R. Schmidt, where results from all of Emma’s papers are used to give one example, a lattice criterion for a finitely-generated group to be solvable.

**2.2. Ph.D. thesis and main area.** Emma’s thesis [8], submitted at Harvard in 1983 under the supervision of D.B. Mumford [9], is still her most cited paper. Her thesis advisor was among the pioneers of this beautiful area, integrable equations, which grew and unified disparate parts of mathematics over the next twenty years, and is still very active. Emma’s original tool for producing exact solutions to large classes of nonlinear PDEs, the Riemann theta function, remained one of her main interests.

**2.3. Theta Functions.** She later pursued more theoretical aspects of special functions, such as Prym theta functions [10–14] also surprisingly related to numerical results in conformal field theory, the Schottky problem [15], and Thetanulls [16].

**2.4. Algebraically Completely Integrable Systems.** The area of integrable PDEs is surprisingly related to algebraically completely integrable Hamiltonian systems, or ACIS, in the sense that algebro-geometric (aka finite-gap) solutions of integrable hierarchies linearize on Abelian varieties, which can be organized into angle variables for an ACIS over a suitable base, typically a subset of the moduli space of curves whose Jacobian is the fiber [12, 17]. Thanks to this discovery, the area integrates with classical geometric invariant theory, surface theory, and other traditional studies of algebraic geometry. With the appearance of the moduli spaces of vector bundles and Higgs bundles over a curve, at the hands of N. Hitchin in the 1980s, large families of ACIS were added to the examples, as well as theoretical

algebraic-geometric techniques. In [13, 18–20], Emma took up the challenge of generalizing the connection between ACIS and integrable hierarchies to curves beyond hyperelliptic. In [21], the families of curves are organized as divisors in surfaces.

**2.5. Higher rank and Higher-dimensional Spectra.** On the PDE side, the challenges were of two types. When the ring of functions on the (affine) spectral curve can be interpreted as differential operators with a higher dimensional space of common eigenfunctions, the fiber of the integrable system is no longer a Jacobian: it degenerates to a moduli space of higher-rank vector bundles, possibly with some auxiliary structures [22]. Neither the PDEs nor the integrable systems have been made explicit in higher rank in general. Some cases, however, are worked out in [23–27]. The other challenge is to increase the dimension of the spectral variety, for example from curve to surface. Despite much work, this problem too has arguably no explicit solution in general. An attempt to set up a general theory over a multi-dimensional version of the formal Universal Grassmann Manifold of Sato which hosts all linear flows of solutions of integrable hierarchies, is given in [28], and more concrete special settings are mentioned below, under the heading of Differential Algebra.

**2.6. Special Solutions.** Coverings of curves An important aspect of theta functions is their reducibility, a property whose investigation goes back to Weierstrass and his student S. Kowalevski. Given their special role in integrability, reducible theta functions are invaluable for applied mathematicians to approximate solutions, or even derive exact expressions and periods in terms of elliptic functions. To the algebraic-geometric theory of Elliptic Solitons, initiated by I.M. Krichever and developed by A. Treibicht and his thesis supervisor J.-L. Verdier, Emma contributed [11, 29–35], while [36, 37] generalize the reduction to hyperelliptic curves or Abelian subvarieties. More general aspects of elliptic (sub)covers are taken up in [38].

Another type of special solution is the one obtained by self-similarity [39]; the challenge here is to find an explicit relationship between the PDE flows and the deformation in moduli that obeys Painlevé  $e$ -type equations: this is one reason why Emma's work has turned to a special function which is associated to Riemann's theta function but only exists on Jacobians: the sigma function (cf. the eponymous section below).

**2.7. Generalizing ACIS: Poncelet and Billiards:** Classical theorems of projective geometry can be generalized to ACIS [40, 41], while the challenge of matching them with integrable hierarchies is still ongoing [42].

**2.8. Generalizing ACIS: Hitchin Systems:** Explicit Hamiltonians for the Hitchin system are only available in theory: they are given explicit algebraic expression in [43] (cf. also [44], which led to work on the geometry of the moduli space of bundles [45]). An explicit integration in terms of special functions leads to the problem of non-commutative theta functions [46].

**2.9. Differential Algebra.** Differential Algebra is younger than Algebraic Geometry, but it has many features in common. Mumford gives credit to J.L. Burchall and T.W. Chaundy for the first spectral curve, the Spectrum of a commutative ring of differential operators [47]. This is arguably the reason behind algebraic-geometric solutions to integrable hierarchies. On the differential-algebra setting,

Emma published [48, 49], connecting geometric properties of the curve with differential resultants, a major topic of elimination theory which is currently being worked out [50, 51] and naturally leads to the higher-rank solutions: their Grassmannian aspects are taken up in [52–56] the higher-dimensional spectral varieties are addressed in [57]. Other aspects of differential algebra are connected to integrability in [58] (the action of an Abelian vector field on the meromorphic functions of an Abelian variety) and [59] (a p-adic analog); in [60], the deformations act on modular forms.

**2.10. The Sigma Function.** Klein extended the definition of the (genus-one) Weierstrass sigma function to hyperelliptic curves and curves of genus three. H.F. Baker developed an in-depth theory of PDEs satisfied by the hyperelliptic sigma function, which plays a key role in recent work on integrable hierarchies (KdV- type, e.g.). Beginning in the 1990s, this theory of Kleinian sigma functions was revisited, originally by V.M. Buchstaber, V.Z. Enolskii and D.V. Leykin, much extended in scope, eventually to be developed for telescopic curves (a condition on the Weierstrass semigroup at a point). We go beyond the telescopic case in [61, 62], while we investigate the higher-genus analog of classical theorems in [63–70] and their connections with integrability in [71] and [72], which gives the first algebro-geometric solutions to a dispersionless integrable hierarchy. It is not a coincidence that its integrable flow on the Universal Grassmann Manifold cut across the Jacobian flows of traditional hierarchies, and this is where the two variables of the sigma function (the Jacobian, and the modular ones) should unite to explain the mystery of the Painlevé equations.

**2.11. Algebraic Coding Theory.** Emma’s primary contribution to this area is through mentoring undergraduate and graduate thesis or funded-research projects. In fact, this research strand began at the prompting of students in computer science who asked her to give a course on curves over fields of prime characteristic, which she ran for years as a vertically-integrated seminar. Together with her PhD student Drue Coles, she published research papers pursuing Trygve Johnsen’s innovative idea of error-correction for Goppa codes implemented via vector bundles [73–75], then she pursued overviews and extensions of Goppa codes to surfaces [76].

**2.12. Other.** Emma edited or co-edited four books [77–80]. In addition to book and journal publication, Emma published reviews (BAMS, SIAM), entries in mathematical dictionaries or encyclopaedias, teaching manuals and online research or teaching materials; she also published on the topic of mentoring in the STEAM disciplines.

### 3. ARTICLES IN THIS VOLUME

Several of the articles in this volume explore arithmetic aspects of integrable systems:

Buium’s article is an exposition of a massive body of work establishing arithmetic analogues of ODEs that preserve the underlying geometry, and exploring arithmetic versions of integrable systems.

The article by Dubrovin explores  $\mathbf{Q}$ -structures on spectral curves and their Jacobians. Under some natural assumptions he proves that certain combinations of logarithmic derivatives of the Riemann theta-function of an arbitrary order  $\geq 3$  all

take rational values at the point of the Jacobi variety specified by the line bundle of common eigenvectors.

Kovacs extends to arbitrary characteristic two theorems of Sommese regarding abelian varieties: that an abelian variety cannot be an ample divisor in a smooth projective variety, and that a cone over an abelian variety of dimension at least two is not smoothable.

Horozov proves that every multiple Dedekind zeta value over any number field  $K$  is a period of a mixed Tate motive. Moreover, if  $K$  is a totally real number field, then we can choose a cone  $C$  so that every multiple Dedekind zeta associated to the pair  $(K;C)$  is unramified over the ring of algebraic integers in  $K$ . (Multiple Dedekind zeta values associated to a number field  $K$  and a cone  $C$  were defined previously by the author as number theoretic analogues of multiple zeta values.)

A second group of articles explores various aspects of curves or Riemann surfaces:

The points of order 2 in the Jacobian of a curve form a group, and the halves of any divisor of degree 0, e.g. the difference  $P - Q$  of two points, form a torsor under this group. Zarhin's work describes this torsor explicitly when the curve is hyperelliptic and the point  $P$  is a Weierstrass point.

Komeda and Matsutani investigate curves given by a natural generalization of Weierstrass' equation and show the Jacobi inversion formulae of the strata of its Jacobian.

Spera presents a survey of some recent topological applications of Riemann surface theory, and especially of the associated theta functions, to geometric quantization in mathematical physics. These include classical and quantum monodromy of 2d-integrable systems, the construction of unitary Riemann surface braid group representations, and the noncommutative version of theta functions due to A. Schwarz.

An emphasis on special functions attached to a Riemann surface is the common theme of the next group:

Buchstaber, Enolski and Leykin consider the dependence of multi-variable sigma function of genus  $g$  hyperelliptic curves on both Jacobian variables and parameters of the curve. They develop new representations of periods in terms of theta-constants.

Korotkin contributed a review of the role played by Bergman tau-functions in various areas: theory of isomonodromic deformations, solutions of Einstein's equations, theory of Dubrovin-Frobenius manifolds, geometry of moduli spaces and spectral theory of Riemann surfaces. These tau-functions are natural generalizations of Dedekind's eta-function to higher genus.

Cogdell, Jorgenson and Smajlov construct a generalization of the Eisenstein elliptic series attached to finite volume Riemann surfaces. Their input is a pair  $(X, D)$ , where  $X$  is a smooth, compact, projective Kahler variety and  $D$  a divisor of a holomorphic form  $F$ , assumed smooth up to codimension two. The original case is recovered when  $X$  is the quotient of a symmetric space.

Other algebraic aspects of integrable systems appear in the next four papers. In two of them the emphasis is on the Kummer surfaces that appear in genus-2 systems.

Bates and Churchill focus on Lax pairs. These are useful, but often hard to find. The authors describe an elementary systematic construction which has proven successful in several contexts of practical interest. Specific examples are presented.

Retakh, Rubtsov and Sharygin present their theory of noncommutative cross-ratios, Schwarz derivatives and their connections and relations to the operator cross-ratio. They apply the theory to noncommutative elementary geometry and relate it to noncommutative integrable systems.

The work of Clingher and Malmendier determines normal forms for the Kummer surfaces associated with abelian surfaces of several polarization of types. It also produces explicit formulas for coordinates and moduli parameters in terms of Theta functions of genus two.

Francoise and Tarama wrote an expository article about the completely integrable Hamiltonian system of the Clebsch top under a special condition introduced by Weber. This led them to Kummer surfaces and to linearization on genus 2 Jacobians.

Finally, two works connect with other aspects of Emma's research:

Carvalho and Neumann present both a survey and some new results in coding theory, extending the well-known work of Delsarte, Goethals and Mac Williams to a class of Reed-Muller type codes defined on a product of (possibly distinct) finite field the same characteristic.

Schmidt's work aims at a lattice-theoretic characterization of various groups. First he does this for some classes of infinite soluble groups. Then for a finite group  $G$  he tries to determine in its subgroup lattice  $L(G)$ , the Fitting length of  $G$ , and properties defined by arithmetical conditions.

#### REFERENCES

- [1] Emma Previato, *Some families of simple groups whose lattices are complemented*, Boll. Un. Mat. Ital. B (6) **1** (1982), no. 3, 1003–1014. MR683488
- [2] ———, *A lattice-theoretic characterization of finitely generated solvable groups*, Istit. Veneto Sci. Lett. Arti Atti Cl. Sci. Mat. Natur. **136** (1977/78), 7–11. MR548255
- [3] ———, *Groups in whose dual lattice the Dedekind relation is transitive*, Rend. Sem. Mat. Univ. Padova **58** (1977), 287–308 (1978). MR543147
- [4] ———, *Sui sottogruppi di Dedekind nei gruppi infiniti*, Atti Accad. Naz. Lincei Rend. Cl. Sci. Fis. Mat. Natur. (8) **60** (1976), no. 4, 388–394. MR0491981
- [5] ———, *Una caratterizzazione dei sottogruppi di Dedekind di un gruppo finito*, Atti Accad. Naz. Lincei Rend. Cl. Sci. Fis. Mat. Natur. (8) **59** (1975), no. 6, 643–650 (1976). MR0480738
- [6] ———, *Gruppi in cui la relazione di Dedekind è transitiva*, Rend. Sem. Mat. Univ. Padova **54** (1975), 215–229 (1976). MR0466319
- [7] R. Freese, *Subgroup lattices of groups by roland schmidt*, 1994.
- [8] Emma Previato, *Hyperelliptic quasiperiodic and soliton solutions of the nonlinear Schrödinger equation*, Duke Math. J. **52** (1985), no. 2, 329–377. MR792178
- [9] ———, *HYPERELLIPTIC CURVES AND SOLITONS*, ProQuest LLC, Ann Arbor, MI, 1983. Thesis (Ph.D.)—Harvard University. MR2632885
- [10] Bert van Geemen and Emma Previato, *Heisenberg action and Verlinde formulas*, Integrable systems (Luminy, 1991), 1993, pp. 61–80. MR1279817
- [11] Emma Previato and Jean-Louis Verdier, *Boussinesq elliptic solitons: the cyclic case*, Proceedings of the Indo-French Conference on Geometry (Bombay, 1989), 1993, pp. 173–185. MR1274502
- [12] Emma Previato, *Geometry of the modified KdV equation*, Geometric and quantum aspects of integrable systems (Scheveningen, 1992), 1993, pp. 43–65. MR1253760
- [13] Letterio Gatto and Emma Previato, *A remark on Griffiths' cohomological interpretation of Lax equations: higher-genus case*, Atti Accad. Sci. Torino Cl. Sci. Fis. Mat. Natur. **126** (1992), no. 3-4, 63–70. MR1231817
- [14] Bert van Geemen and Emma Previato, *Prym varieties and the Verlinde formula*, Math. Ann. **294** (1992), no. 4, 741–754. MR1190454

- [15] Christian Pauly and Emma Previato, *Singularities of  $2\Theta$ -divisors in the Jacobian*, Bull. Soc. Math. France **129** (2001), no. 3, 449–485. MR1881203
- [16] E. Previato, T. Shaska, and G. S. Wijesiri, *Thetanulls of cyclic curves of small genus*, Albanian J. Math. **1** (2007), no. 4, 253–270. MR2367218
- [17] Emma Previato, *A particle-system model of the sine-Gordon hierarchy*, Phys. D **18** (1986), no. 1-3, 312–314. Solitons and coherent structures (Santa Barbara, Calif., 1985). MR838338
- [18] M. R. Adams, J. Harnad, and E. Previato, *Isospectral Hamiltonian flows in finite and infinite dimensions. I. Generalized Moser systems and moment maps into loop algebras*, Comm. Math. Phys. **117** (1988), no. 3, 451–500. MR953833
- [19] Emma Previato, *Generalized Weierstrass  $\wp$ -functions and KP flows in affine space*, Comment. Math. Helv. **62** (1987), no. 2, 292–310. MR896099
- [20] ———, *Flows on  $r$ -gonal Jacobians*, The legacy of Sonya Kovalevskaya (Cambridge, Mass., and Amherst, Mass., 1985), 1987, pp. 153–180. MR881461
- [21] Silvio Greco and Emma Previato, *Spectral curves and ruled surfaces: projective models*, The Curves Seminar at Queen's, Vol. VIII (Kingston, ON, 1990/1991), 1991, pp. Exp. F, 33. MR1143110
- [22] Emma Previato and George Wilson, *Vector bundles over curves and solutions of the KP equations*, Theta functions—Bowdoin 1987, Part 1 (Brunswick, ME, 1987), 1989, pp. 553–569. MR1013152
- [23] E. Previato, *Burchnall-Chaundy bundles*, Algebraic geometry (Catania, 1993/Barcelona, 1994), 1998, pp. 377–383. MR1651105
- [24] Geoff A. Latham and Emma Previato, *KP solutions generated from KdV by “rank 2” transference*, Phys. D **94** (1996), no. 3, 95–102. MR1392449
- [25] ———, *Darboux transformations for higher-rank Kadomtsev-Petviashvili and Krichever-Novikov equations*, Acta Appl. Math. **39** (1995), no. 1-3, 405–433. KdV '95 (Amsterdam, 1995). MR1329574
- [26] Geoff Latham and Emma Previato, *Higher rank Darboux transformations*, Singular limits of dispersive waves (Lyon, 1991), 1994, pp. 117–134. MR1321199
- [27] Emma Previato and George Wilson, *Differential operators and rank 2 bundles over elliptic curves*, Compositio Math. **81** (1992), no. 1, 107–119. MR1145609
- [28] Min Ho Lee and Emma Previato, *Grassmannians of higher local fields and multivariable tau functions*, The ubiquitous heat kernel, 2006, pp. 311–319. MR2218024
- [29] J. Chris Eilbeck, Victor Z. Enolskii, and Emma Previato, *Spectral curves of operators with elliptic coefficients*, SIGMA Symmetry Integrability Geom. Methods Appl. **3** (2007), Paper 045, 17. MR2299846
- [30] E. Previato, *Jacobi varieties with several polarizations and PDE's*, Regul. Chaotic Dyn. **10** (2005), no. 4, 531–543. MR2191376
- [31] Emma Previato, *Reduction theory, elliptic solitons and integrable systems*, The Kowalevski property (Leeds, 2000), 2002, pp. 247–270. MR1916786
- [32] J. C. Eilbeck, V. Z. Enolskii, and E. Previato, *Varieties of elliptic solitons*, J. Phys. A **34** (2001), no. 11, 2215–2227. Kowalevski Workshop on Mathematical Methods of Regular Dynamics (Leeds, 2000). MR1831289
- [33] Emma Previato, *Monodromy of Boussinesq elliptic operators*, Acta Appl. Math. **36** (1994), no. 1-2, 49–55. MR1303855
- [34] E. Colombo, G. P. Pirola, and E. Previato, *Density of elliptic solitons*, J. Reine Angew. Math. **451** (1994), 161–169. MR1277298
- [35] Emma Previato, *The Calogero-Moser-Krichever system and elliptic Boussinesq solitons*, Hamiltonian systems, transformation groups and spectral transform methods (Montreal, PQ, 1989), 1990, pp. 57–67. MR1110372
- [36] È. Previato and V. Z. Ènol' skiĭ, *Ultra-elliptic solitons*, Uspekhi Mat. Nauk **62** (2007), no. 4(376), 173–174. MR2358755
- [37] Ron Y. Donagi and Emma Previato, *Abelian solitons*, Math. Comput. Simulation **55** (2001), no. 4-6, 407–418. Nonlinear waves: computation and theory (Athens, GA, 1999). MR1821670
- [38] Robert D. M. Accola and Emma Previato, *Covers of tori: genus two*, Lett. Math. Phys. **76** (2006), no. 2-3, 135–161. MR2235401
- [39] G. N. Benes and E. Previato, *Differential algebra of the Painlevé property*, J. Phys. A **43** (2010), no. 43, 434006, 14. MR2727780

- [40] Emma Previato, *Some integrable billiards*, SPT 2002: Symmetry and perturbation theory (Cala Gonone), 2002, pp. 181–195. MR1976669
- [41] ———, *Poncelet’s theorem in space*, Proc. Amer. Math. Soc. **127** (1999), no. 9, 2547–2556. MR1662198
- [42] Yuji Kodama, Shigeki Matsutani, and Emma Previato, *Quasi-periodic and periodic solutions of the Toda lattice via the hyperelliptic sigma function*, Ann. Inst. Fourier (Grenoble) **63** (2013), no. 2, 655–688. MR3112844
- [43] Bert van Geemen and Emma Previato, *On the Hitchin system*, Duke Math. J. **85** (1996), no. 3, 659–683. MR1422361
- [44] E. Previato, *Dualities on  $T^*SU_X(2, \mathcal{O}_X)$* , Moduli spaces and vector bundles, 2009, pp. 367–387. MR2537074
- [45] W. M. Oxbury, C. Pauly, and E. Previato, *Subvarieties of  $SU_C(2)$  and  $2\theta$ -divisors in the Jacobian*, Trans. Amer. Math. Soc. **350** (1998), no. 9, 3587–3614. MR1467474
- [46] Emma Previato, *Theta functions, old and new*, The ubiquitous heat kernel, 2006, pp. 347–367. MR2218026
- [47] ———, *Seventy years of spectral curves: 1923–1993*, Integrable systems and quantum groups (Montecatini Terme, 1993), 1996, pp. 419–481. MR1397276
- [48] Jean-Luc Brylinski and Emma Previato, *Koszul complexes, differential operators, and the Weil-Tate reciprocity law*, J. Algebra **230** (2000), no. 1, 89–100. MR1774759
- [49] Emma Previato, *Another algebraic proof of Weil’s reciprocity*, Atti Accad. Naz. Lincei Cl. Sci. Fis. Mat. Natur. Rend. Lincei (9) Mat. Appl. **2** (1991), no. 2, 167–171. MR1120136
- [50] Alex Kasman and Emma Previato, *Factorization and resultants of partial differential operators*, Math. Comput. Sci. **4** (2010), no. 2-3, 169–184. MR2775986
- [51] ———, *Commutative partial differential operators*, Phys. D **152/153** (2001), 66–77. Advances in nonlinear mathematics and science. MR1837898
- [52] Maurice J. Dupré, James F. Glazebrook, and Emma Previato, *Differential algebras with Banach-algebra coefficients I: from  $C^*$ -algebras to the  $K$ -theory of the spectral curve*, Complex Anal. Oper. Theory **7** (2013), no. 4, 739–763. MR3079828
- [53] ———, *Curvature of universal bundles of Banach algebras*, Topics in operator theory. Volume 1. Operators, matrices and analytic functions, 2010, pp. 195–222. MR2723277
- [54] ———, *Differential algebras with Banach-algebra coefficients II: The operator cross-ratio tau-function and the Schwarzian derivative*, Complex Anal. Oper. Theory **7** (2013), no. 6, 1713–1734. MR3129889
- [55] Emma Previato and Mauro Spera, *Isometric embeddings of infinite-dimensional Grassmannians*, Regul. Chaotic Dyn. **16** (2011), no. 3-4, 356–373. MR2810984
- [56] Maurice J. Dupré, James F. Glazebrook, and Emma Previato, *A Banach algebra version of the Sato Grassmannian and commutative rings of differential operators*, Acta Appl. Math. **92** (2006), no. 3, 241–267. MR2266488
- [57] Emma Previato, *Multivariable Burchnall-Chaundy theory*, Philos. Trans. R. Soc. Lond. Ser. A Math. Phys. Eng. Sci. **366** (2008), no. 1867, 1155–1177. MR2377688
- [58] ———, *Lines on abelian varieties*, Probability, geometry and integrable systems, 2008, pp. 321–344. MR2407603
- [59] Alexandru Buium and Emma Previato, *Arithmetic Euler top*, J. Number Theory **173** (2017), 37–63. MR3581908
- [60] Eleanor Farrington and Emma Previato, *Symbolic computation for Rankin-Cohen differential algebras: a case study*, Math. Comput. Sci. **11** (2017), no. 3-4, 401–415. MR3690055
- [61] Jiryo Komeda, Shigeki Matsutani, and Emma Previato, *The Riemann constant for a non-symmetric Weierstrass semigroup*, Arch. Math. (Basel) **107** (2016), no. 5, 499–509. MR3562378
- [62] ———, *The sigma function for Weierstrass semigroups  $\langle 3, 7, 8 \rangle$  and  $\langle 6, 13, 14, 15, 16 \rangle$* , Internat. J. Math. **24** (2013), no. 11, 1350085, 58. MR3143604
- [63] Shigeki Matsutani and Emma Previato, *The  $al$  function of a cyclic trigonal curve of genus three*, Collect. Math. **66** (2015), no. 3, 311–349. MR3384012
- [64] ———, *Jacobi inversion on strata of the Jacobian of the  $C_{rs}$  curve  $y^r = f(x)$ , II*, J. Math. Soc. Japan **66** (2014), no. 2, 647–692. MR3201830
- [65] E. Previato, *Sigma function and dispersionless hierarchies*, XXIX Workshop on Geometric Methods in Physics, 2010, pp. 140–156. MR2767999



- [66] Shigeki Matsutani and Emma Previato, *A generalized Kiepert formula for  $C_{ab}$  curves*, Israel J. Math. **171** (2009), 305–323. MR2520112
- [67] ———, *Jacobi inversion on strata of the Jacobian of the  $C_{rs}$  curve  $y^r = f(x)$* , J. Math. Soc. Japan **60** (2008), no. 4, 1009–1044. MR2467868
- [68] J. C. Eilbeck, V. Z. Enolski, S. Matsutani, Y. Ônishi, and E. Previato, *Abelian functions for trigonal curves of genus three*, Int. Math. Res. Not. IMRN **1** (2008), Art. ID rnm 140, 38. MR2417791
- [69] ———, *Addition formulae over the Jacobian pre-image of hyperelliptic Wirtinger varieties*, J. Reine Angew. Math. **619** (2008), 37–48. MR2414946
- [70] J. C. Eilbeck, V. Z. Enolskii, and E. Previato, *On a generalized Frobenius-Stickelberger addition formula*, Lett. Math. Phys. **63** (2003), no. 1, 5–17. MR1967532
- [71] Shigeki Matsutani and Emma Previato, *From Euler's elastica to the mKdV hierarchy, through the Faber polynomials*, J. Math. Phys. **57** (2016), no. 8, 081519, 12. MR3541543
- [72] ———, *A class of solutions of the dispersionless KP equation*, Phys. Lett. A **373** (2009), no. 34, 3001–3004. MR2559804
- [73] Drue Coles and Emma Previato, *Decoding by rank-2 bundles over plane quartics*, J. Symbolic Comput. **45** (2010), no. 7, 757–772. MR2645976
- [74] Emma Previato, *Vector bundles in error-correcting for geometric Goppa codes*, Algebraic aspects of digital communications, 2009, pp. 42–80. MR2605297
- [75] Drue Coles and Emma Previato, *Goppa codes and Tschirnhausen modules*, Advances in coding theory and cryptography, 2007, pp. 81–100. MR2440171
- [76] Brenda Leticia De La Rosa Navarro, Mustapha Lahyane, and Emma Previato, *Vector bundles with a view toward coding theory*, Algebra for secure and reliable communication modeling, 2015, pp. 159–171. MR3380380
- [77] David A. Ellwood and Emma Previato (eds.), *Grassmannians, moduli spaces and vector bundles*, Clay Mathematics Proceedings, vol. 14, American Mathematical Society, Providence, RI; Clay Mathematics Institute, Cambridge, MA, 2011. Papers from the Clay Mathematics Institute (CMI) Workshop on Moduli Spaces of Vector Bundles, with a View Towards Coherent Sheaves held in Cambridge, MA, October 6–11, 2006. MR2809924
- [78] Emma Previato (ed.), *Dictionary of applied math for engineers and scientists*, Comprehensive Dictionary of Mathematics, CRC Press, Boca Raton, FL, 2003. MR1966695
- [79] ——— (ed.), *Advances in algebraic geometry motivated by physics*, Contemporary Mathematics, vol. 276, American Mathematical Society, Providence, RI, 2001. MR1837106
- [80] R. Donagi, B. Dubrovin, E. Frenkel, and E. Previato, *Integrable systems and quantum groups*, Lecture Notes in Mathematics, vol. 1620, Springer-Verlag, Berlin; Centro Internazionale Matematico Estivo (C.I.M.E.), Florence, 1996. Lectures given at the First 1993 C.I.M.E. Session held in Montecatini Terme, June 14–22, 1993, Edited by M. Francaviglia and S. Greco, Fondazione CIME/CIME Foundation Subseries. MR1397272
- [81] Emma Previato, *Soliton equations and their algebro-geometric solutions. Vol. I [book review of mr1992536]*, Bull. Amer. Math. Soc. (N.S.) **45** (2008), no. 3, 459–467. MR3077138
- [82] E. Previato, *Poncelet's porism and projective fibrations*, Higher genus curves in mathematical physics and arithmetic geometry, 2018, pp. 157–169. MR3782465
- [83] ———, *Complex algebraic geometry applied to integrable dynamics: concrete examples and open problems*, Geometric methods in physics XXXV, 2018, pp. 269–280. MR3803645
- [84] Alexandru Buium and Emma Previato, *The Euler top and canonical lifts*, J. Number Theory **190** (2018), 156–168. MR3805451
- [85] E. Previato, *Curves in isomonodromy and isospectral deformations: Painlevé VI as a case study*, Algebraic curves and their applications, 2019, pp. 247–265. MR3916744
- [86] Jiryô Komeda, Shigeki Matsutani, and Emma Previato, *The sigma function for trigonal cyclic curves*, Lett. Math. Phys. **109** (2019), no. 2, 423–447. MR3917350

MATHEMATICS DEPARTMENT, UPENN, PHILADELPHIA, PA, 19104-6395

DEPARTMENT OF MATHEMATICS AND STATISTICS, OAKLAND UNIVERSITY, ROCHESTER, MI, 48309